Updated Risk Assessments to minimise the risk of being exposed to Covid-19

The process will involve consultation with all school staff.

Methodology used for hazard identification and control

In line with the requirements of Safety, Health and Welfare at Work Act 2005 (section 19) it is the policy of the BoM in **Scoil Mhuire gan Smál** to address significant hazards and risks in the workplace, to access the risks to safety, health and welfare and to control these risks as far as is reasonably practicable.

The Board is committed to the ongoing identification of hazards, the assessment of the appropriate risks and the introduction of controls to deal with them. In addition, staff are involved and participate in safety, health and welfare issues within the school and are encouraged to identify and report any potential hazards that may exist and to ensure that a risk assessment is carried out.

This revised Risk Assessment includes all relevant updates and necessary control measures to minimise the risk of staff and others being exposed to Covid-19 and these will be incorporated into the Safety Statement for St. Projects in line with requirements of section 20 of the 2005 Act.

It is envisaged that additional reviews will be undertaken on a regular basis and in line with Government and public health advice to ensure that all information remains accurate, that controls are appropriate and where necessary risks are reassessed.

A hazard is anything with the potential to cause harm to the safety, health or welfare of staff, students, visitors and contractors — a wet or slippery floor, an unguarded machine, stressful work, a blocked entrance, hazardous chemicals etc. Hazards may be classified as physical, chemical, biological, environmental or human.

A risk is the likelihood that someone will be harmed by a hazard and the severity of that harm.

Control measures:

A control measure is an applied measure that reduces the level of risk. Control measures can be applied at the planning stage, can comprise physical measures, can be management issues and can include training. Good control measures will require a combination of some or all of these.

Control measure principles:

Schedule 3 of the Safety, Health and Welfare at Work Act 2005 lists the Principles of Prevention and the Board of Management undertakes to apply these principles (where practicable) in dealing with all risks within the school:

- Avoidance of risks
- Evaluation of unavoidable risks
- Combating of risks at source
- Adaptation of work to the individual
- Adaptation of workplace to technical progress
- Replacement of dangerous articles, substances or systems of work by safe or less dangerous articles, substances or systems of work
- Priority to collective protective measures over individual protective measures
- Development of an adequate prevention policy which takes account of technology, organisation of work, working conditions, social factors and the influence of factors relating to the working environment
- Appropriate training and instructions to employees.

When the safety audit identifies hazards, it is necessary to evaluate and rank them so that they can be controlled in an orderly way. The risk of a hazard is a measure of the likelihood or probability of an accident coupled with the severity of the injury or loss. The risk potential of each hazard was assessed (by ranking) by giving numerical values of between 1 and 5 to both the **severity** of the consequences and the **probability** of the event occurring. When the severity numerical factor and the probability numerical factor were multiplied together, they produced a number between 1 and 25 thereby producing the numerical values outlined in **risk rating** chart below.

Severity x Probability = Risk Rating

Severity

Severity Rating	Interpretation	Numerical Value
Fatality or Catastrophic	Single or multiple fatalities, widespread illness, large scale property or equipment damage	5
Major	Serious injury or illness, significant property or equipment damage	4
Moderate	Injury and damage to property	3
Minor	Minor injury or illness, minor property or equipment damage	2
Trivial	No significant injury or illness, no significant property or equipment damage	1

Probability/Likelihood

Probability Rating	Interpretation	Numerical Value
Inevitable	Likely to occur either immediately or in the short term	5
Very Likely	Could occur in time or if repeated enough	4
Likely	Likely to occur	3
Unlikely	Though unlikely, may occur over time	2
Rare	Unlikely to occur at all	1

Risk Rating

Numerical Value Severity x Probability	Descriptive risk rating	Interpretation
16 – 25	Emergency – Extremely serious	Risks are unacceptable and immediate action required justifying special
	If an incident were to occur, it would be likely	maintenance. Activity should be halted and stopped until the hazard is
	that a permanent, debilitating injury or death	eliminated or appropriate risk controls are put in place.
	would result	
11 – 15	Severe and Serious	Activity can proceed but substantial efforts should be made to reduce the
	If an incident were to occur, it would be likely	risk. Risk reduction measures should be implemented urgently within a
	that an injury requiring medical treatment would	defined time period and it might be necessary to consider suspending or
	result.	restricting the activity or to apply interim control measures until this has been
		completed.
6 – 10	Medium	Activity can proceed but consideration should be given as to whether the risks
	If an incident were to occur, there would be	can be lowered. Control measures must be monitored and reviewed as
	some chance that an injury requiring First Aid	required to ensure they remain suitable and sufficient.
	treatment would result	
1-5	Trivial or Negligible	No additional controls are necessary as these risks are considered acceptable.
	If an incident were to occur, there would be little	Activity should be regularly reviewed to ensure there is no change to the risk
	likelihood that an injury would result	rating and that controls are maintained.

^{*}Note: A numerical rating has been used in column 4 of the risk assessment sheets to describe the risk potential for the hazard identified This method has been used in an attempt to ensure that the levels of risk will be understood and clear to all those operating within the school.

Who may be affected?	Identified Risks			Risk Rating	Action implementation
allecteu:	identified Nisks			with controls	Action implementation
Staff	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women	The Board of Management will developed and mitigation of Covid-19 following a This plan will highlight the measures safety of staff in re-opening and modify school. The staff representative(s) will be promplementing the action plan for the pwithin the school and all staff will be introduced, using specific risk compapproaches. The Board of Management will: ✓ Ensure that all staff receive necessing Provide posters, information and awareness of Covid-19 among staff receives a promote safe individual practices.	op a response plan for the prevention a risk assessment of the school facility. necessary to protect the health and ying the work arrangements within the operly consulted when developing and prevention and mitigation of Covid-19 informed about the measures being munication and staff engagement sary training prior to returning to work electronic message boards to increase ff and pupils within the school campus	Negligible	Board of Management Principal Staff
	• Loss of sense of taste of distortion of sense of taste •Death	their effectiveness ✓ Provide regular information above sources, such as government age Health Organisation ✓ Emphasise the effectiveness of act good personal hygiene ✓ Provide specific training in the property.	ut the risk of Covid-19 using official encies (HSE, HSA, etc.) and the World dopting protective measures especially per use of PPE for staff, where required		
(b) Likelihood of eve	Risk Level Calculation (a) Severity of risk/injury (b) Likelihood of event (c) Risk Rating = (a) X (b) 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable		Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review i		ontrol
<u>Assessment Date</u> :	August, 2020		Assessor's Name:		

Who may be affected?	Identified Risks	Hygiene		Risk Rating	Action implementation
uncerea.	identified hisks	Co	ontrols	with controls	Action implementation
All staff Pupils Visitors Contractors Public	cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	santitisers (i.e. hand gel dispensers, etc.) should: ✓ Wash their hands properly and often ○ After coughing or sneezing ○ Before and after eating or prepace of Before and after using protective of Before and after being on publice of When arriving and leaving the second of the property of the second of th	aring food we gloves c transport school campus ue or their sleeve when coughing and sneezing. heir hands nd disinfecting of frequently touched objects and ducts, will ensure the correct use re all products are stored safely and securely. k if they display any of the symptoms below: - es or above) ast self-isolate and not attend school for 14 days o is self-isolating or waiting for a Covid-19 test ive for Covid-19 must not return to work until their medical advisor gular updates or can contact HSELive for advice	Requires monitoring	Board of Management Principal Staff Visitors
(a) Severity of risl (b) Likelihood of e	Risk Level Calculation (a) Severity of risk/injury (b) Likelihood of event (c) Risk Rating = (a) X (b) 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable		Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furthe 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date:	August, 2020		Assessor's Name:		

Who may be affected?	ldentified Risks		ygiene Controls	Risk Rating with controls	Action implementation
All staff Pupils Visitors Contractors Public	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	facility (buildings and grounds). Appropriate social distancing markin Necessary PPE is available to staff Standard cleaning and maintenance regir Toilet facilities are cleaned regularly All drinking water facilities will be sl Equipment sharing is minimised. Star There is regular cleaning of frequently tressential cleaning materials to keep wipes/disinfection products, paper to all school equipment is sanitised — cleaning equipment is cleaned and disinfecte. Covid compliant work areas to be availabled. There is staggered use of canteen/kinds. Bins are provided for disposal of waster madequate waste collection arrangements. All waste collection points are emptied results.	gs are in place mes are put in place and detailed records retained mut down ff are encouraged not to share equipment buched surfaces and that staff are provided with their own work areas clean (for example bowels and waste bins/bags) ng programmes to be devised to ensure that shared d between use by different people e where social distancing guidelines can be applied	Requires monitoring	Board of Management Principal Staff Visitors
Risk Level Calcula (a) Severity of risk, (b) Likelihood of e (c) Risk Rating = (a	/injury 1=trivial, 2=slight, 3=moder event 1=rare, 2=unlikely, 3=likely	rate, 4=major, 5=fatality r, 4=very likely, 5=inevitable	Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furthe 16-25 Emergency risk Halt activity and review im		ntrol
Assessment Date:	: August, 2020		Assessor's Name:		

Who may be affected?	Identified Risks		Distancing ontrols	Risk Rating with controls	Action implementation
All staff Pupils Visitors Contractors Public	Persons currently deemed most at risk of complications if they catch the corona virus are: • 60 years of age and over • have long-term medical conditions—i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste	school, use of welfare facilities and while w physical spacing (2 metres apart currently entrances/exits, lifts, kithchen areas, cante or students of visitors might occur Break times will be staggered and school si Appropriate signage in line with public he facility (buildings and grounds) Appropriate social distancing arangemy Meetings of staff will take place online There is currently a strict no handshakin All staff, contractors and visitors should av far as possible Where 2 metre distance cannot be maintained (Requirements for personnel working within 2 m suspended): No worker has symptoms of Covid-19 The close contact work cannot be avoided Installation of physical barriers e.g. cle	al distancing rules in relation to entering the vorking in the school y) for work stations and common spaces, such as eens, stairs, where congregation or queuing of staff, upervision procedures must be strictly adhered to ealth guidelines will be displayed throughout school eents will be in place throughout the facility e and by using teleconferencing facilities in policy in place within the school oid direct physical contact with any other persons as DES guidance awaited) metres of each other (where activity cannot be ar plastic sneeze guards k assessment (full face mask, gloves, etc) and public up pre task commencement	Requires monitoring Serious	Board of Management Principal Staff Visitors
Risk Level Calculation (a) Severity of risk/injury 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable (c) Risk Rating = (a) X (b)		Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furthe 16-25 Emergency risk Halt activity and review im		ntrol	
Assessment Date:	August, 2020		Assessor's Name:		

Who may be affected?	Identified Risks		eaning ontrols	Risk Rating with controls	Action implementation
Staff especially cleaning staff	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	items handled at work or during break have bring to work (e.g. mobile phones surfaces or they will need to clean the ✓ Cleaning staff will be trained in the nee ✓ Sufficient cleaning materials and PPE v ✓ Cleaning staff will be instructed to wead to wash their hands thoroughly with gloves ✓ System in place for the disposable of Current HSE guidance recommends w person suspected of having Covid-19 area for 72 hours before being present ✓ System in place to make sure reusable of disposable cloths are clean before re-	sonal items that have been brought to work and its. Staff advised to clean personal items that they is) and to avoid leaving them down on communal surface after the personal item is removed with cleaning arrangements for the school will be available to allow for increased cleaning rigloves when cleaning and are aware of the need soap and water, both before and after wearing cleaning cloths and used wipes in a rubbish bag aste such as cleaning waste, tissues etc. from a should be double bagged and stored in a secure ed for general waste collection cleaning equipment including mop heads and non-use ent such as buckets are emptied and cleaned with	Requires monitoring	Board of Management Principal Staff
Risk Level Calculation (a) Severity of risk/injury 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality (b) Likelihood of event 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable (c) Risk Rating = (a) X (b)		Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review i		ontrol	
Assessment Date:	August, 2020		Assessor's Name:		

Who may be affected? Identi	ified Risks	Office and administration areas		Risk Rating	Action implementation
alletteu: lueliti	illeu Nisks	Co	with controls	Action implementation	
most at risk of they catch the of they catch the of they catch the of the order of the conditions — if the	rrently deemed of complications if a coronavirus are: age and over ng-term medical age. heart disease, e, high blood betes or cancer omen ects of the ch temperature of Celsius or above) is can be any kind just a dry cough of breath or ficulties age of smell ense of taste or	designated workstations and staff	e the maintenance of physical distancing between o work in an office at any particular time shall be to protect health and safety.	Requires monitoring	Board of Management Principal Administration staff
Risk Level Calculation (a) Severity of risk/injury (b) Likelihood of event (c) Risk Rating = (a) X (b) 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable		Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review i		ontrol	
Assessment Date: August, 2020			Assessor's Name:		

Who may be affected?			PE	Risk Rating	Action implementation
arrected?	identified Risks	Controls	is	with controls	Action implementation
Staff	most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell	PPE needs to be consistently and properly worn regularly inspected, cleaned, maintained and replacement will not be required to be worn within the school and public health guidance. Current general guidance from the HSE in relation to gloves is available at the following Link: https://w	required in some circumstances to address dified accordingly and be provided with the primation in the proper use, cleaning, storage on when required. In addition, it must be laced as necessary. Fool facility according to current occupational to the wearing of face coverings, masks and www2.hse.ie/conditions/coronavirus/face-vailable for optional use. Replace for infection prevention and control ne risks associated with the usage of gloves, loves to staff for general use.	Requires monitoring	Board of Management Principal Staff
Risk Level Calculation (a) Severity of risk/injury (b) Likelihood of event (c) Risk Rating = (a) X (b) 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable		oderate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable 11-15 11-15	Level Action Trivial risk Acceptable Medium risk Requires monitoring Severe risk Requires immediate furthe Estimate Energency risk Halt activity and review in		ntrol
<u>Assessment Date</u> :	August, 2020	Asses	essor's Name:		

Who may be affected?	Identified Risks		r resources during Covid-19	Risk Rating with controls	Action implementation
Staff (particularly SNAs, school secretaries and school book rental co-ordinator)	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	rental scheme) and other resource methese will be available to pupils for following guidelines are recommende compiling resource packs: • Maintain physical distancing (• Observe good hygiene (hand vertouch your eyes, nose, mouth after handling books and othe) • Follow the agreed school protous Covid-19 • Any books or other items (returned to the school should be active work areas within the significant of the school should be active work areas within the significant of the school should be active work areas within the significant of the school should be active work areas within the significant of the school should be active work areas within the significant of the school should be active work areas within the significant of the school should be active work areas within the significant of the school should be active work areas within the significant of the school should be active work areas within the significant of the school should be active work areas within the significant of the school should be active work areas within the significant of the school should be active work areas within the significant of the school should be active work areas within the significant of the school should be active work areas within the significant of the school should be active work areas within the significant of the school should be active work areas within the significant of the school should be active work areas within the significant of the school should be active work areas within the significant of the school should be	vashing and respiratory etiquette, do not with unwashed hands, etc.) before and rematerials returned to the school socols if you are displaying symptoms of resource packs, computers, etc.) being hould be quarantined for 72 hours. These items in sealed boxes that are the of the start of the 72-hour quarantine estored in a separate location away from chool 2-hour quarantine period the items may bared for the next school year	Requires monitoring	Board of Management Principal Staff
Risk Level Calculation (a) Severity of risk/injury (b) Likelihood of event (c) Risk Rating = (a) X (b) 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable		Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review i		ontrol	
Assessment Date:	August, 2020		Assessor's Name:		

Who may be affected?	Identified Risks	Using hand tools or equipment		Risk Rating	Action implementation
arrecteu:	identified hisks	Cc	with controls	Action implementation	
All staff	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	 ✓ All tools and equipment must be proposed. ✓ Arrangements should be put in place for and machinery as far as is reasonable. ✓ Cleaning material will be available so to between each use. 	or the nature of the work that they are undertaking perly sanitised to prevent cross contamination or one individual to use the same tool, equipment y practicable that all tools can be wiped down with disinfectant mowers) must be thoroughly cleaned and santisied	Requires monitoring	Board of Management Principal Staff
Risk Level Calculation (a) Severity of risk/injury (b) Likelihood of event (c) Risk Rating = (a) X (b) 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable		Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review i		ontrol	
<u>Assessment Date</u> :	August, 2020		Assessor's Name:		

Who may be affected?	Identified Risks	Dealing with a suspected case of Covid-19		Risk Rating	Action implementation
anecteur	identified Risks	Co	ntrols	with controls	Action implementation
Staff Pupils Visitors Contractors	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	area and the route to the designated a reasonable and practicable, should be possibility of having more than one perconsidered so having additional isolation dealing with additional cases must be designated area has the ability to isolate other workers If a person displays symptoms of Covid-19 the symptomatic person and have a procedure designated isolation area via the isolate the symptomatic person and also making 2 metres from the symptomatic person presents should wear the mask if in a common premises. ✓ Assess whether the individual who is did to go home and call their doctor and common premises. ✓ Facilitate the person presenting with some immediately go home and facilitate the avoid touching people, surfaces and compresenting with symptoms to cover the	able within the school building. The designated area should be easily accessible and as far as is the accessible by people with disabilities. The earson displaying signs of Covid-19 needs to be an areas available or another contingency plan for the planned. It would be important that the eather person behind a closed door and away from the following procedure is to be implemented: are in place to accompany the individual to the distinct of accompany the individual to the distinct of accompany the individual to the distinct of accompany at least 2 metres away from the surrethat others maintain a distance of at least at all times. The surrethat other people or while exiting the asplaying symptoms can immediately be directed	Requires monitoring	Board of Management Principal Staff
Risk Level Calculation (a) Severity of risk/injury (b) Likelihood of event (c) Risk Rating = (a) X (b) 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable		Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review i		ontrol	
Assessment Date:	August, 2020		Assessor's Name:		

Who may be affected?	Identified Risks	Dealing with a suspected	case of Covid-19 (continued)	Risk Rating	Action implementation
anecteur	identified Risks	Controls		with controls	Action implementation
Staff Pupils Visitors Contractors	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	family member, as soon as possible and by phone of their symptoms. Public t ✓ If they are too unwell to go home or a them that the sick person is a Covid-1 ✓ Carry out an assessment of the incide actions and recovery.	ent which will form part of determining follow-up he isolation area and work areas involved.	Requires monitoring	Board of Management Principal Staff
(a) Severity of risk/i (b) Likelihood of eve	Risk Level Calculation (a) Severity of risk/injury (b) Likelihood of event (c) Risk Rating = (a) X (b) 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable		Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review i		ontrol
Assessment Date:	August, 2020		Assessor's Name:		

Who may be affected?	Identified Risks	Covid-	19 cleaning	Risk Rating	Action implementation
arrected?	identified Risks	С	ontrols	with controls	Action implementation
Staff Pupils Visitors	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	suspected coronavirus (Covid-19) case. infection on to other people The area should be kept closed and sec amount of virus living on surfaces will For cleaning purposes, wear a face mas be double-bagged, then stored secure rubbish after cleaning is finished should be double-bagged, Using a disposable cloth, first clean hard disinfect these surfaces with the clear attention to frequently touched areas and door handles If an area has been heavily contaminate person with coronavirus (Covid-19) cornose, as well as wearing gloves and ap Wash hands regularly with soap and was aprons and other protection used whill Public areas where a symptomatic inditime, such as corridors, but which are recleaned as normal All surfaces that the symptomatic person	th normal household disinfectant after a This wil reduce the risk of passing the cure for 72 hours (if possible) for cleaning as the have reduced significantly by 72 hours k, disposable or washing up gloves. These should ely for 72 hours and then put with the regular disurfaces with warm soapy water. Then ning products you normally use. Pay particular nd surfaces, such as toilets, banisters on stairwells ed, such as with visible bodily fluids, from a nisider using protection for the eyes, mouth and oron other for 20 seconds and after removing gloves,	Serious Requires monitoring	Board of Management Principal Cleaning staff
Risk Level Calculation (a) Severity of risk/injury (b) Likelihood of event (c) Risk Rating = (a) X (b) 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable		Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review i		ontrol	
Assessment Date:	August, 2020		Assessor's Name:		

Identified Dicks	Cleaning a space with a suspected/confirmed case of Covid-19		Risk Rating	
identified Risks	Controls		with controls	Action implementation
most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell	Use disposable cloths or paper roll and disp floors, chairs, door handles and sanitary fitting disinfectant in line with the manufacturer's in Disinfectants used should be effective again Additionally: Avoid creating splashes and spray when cleed Any cloths and mop heads used must be disposed ow. When items cannot be cleaned using determattresses for example) steam cleaning show that have been heavily contaminated washing should be disposed of lift possible, keep an area closed off and security.	posable mob heads to clean all hard surfacengs, using an approved and recognised detergent a instructions for dilution, aplication and contact timenst viruses. aning. be be dof and should be put into waste bags as outlingergents or laundered (upholstered furniture all die used) ted with bodyfluids and that cannot be cleaned	Serious Requires monitoring	Board of Management Principal Cleaning staff
Risk Level Calculation (a) Severity of risk/injury 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality (b) Likelihood of event 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable (c) Risk Rating = (a) X (b) Assessment Date: August, 2020		16-25 Emergency risk Halt activity and review i		ontrol
į	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death on njury 1=trivial, 2=slight, 3=ment 1=rare, 2=unlikely, 3=likely, 3=l	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death All cleaning will be undertaken in line with In line with In line with the manufacturer's in disinfectant in line with th	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and ove • have long-term medical conditions – i.e. heart disease lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of taste • Death On njury 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality ent 1 = rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable X (b) All cleaning will be undertaken in line with DES and public health guidance. Use disposable cloths or paper roll and disposable mob heads to clean all hard surface floors, chairs, door handles and sand sund public health guidance. Use disposable cloths or paper roll and disposable mob heads to clean all hard surface floors, chairs, door handles and sund public health guidance. Use disposable cloths or paper roll and disposable mob heads to clean all hard surface floors, chairs, door handles and sund public health guidance. Use disposable cloths or paper roll and disposable mob heads to clean all hard surface floors, chairs, door handles and sandsanitary fittings, using an approved and recognised detergent a disinfectant in line with the manufacturer's instructions for dilution, aplication and contact time disposable mob heads to clean all hard surface floors, chairs, door handles and sandsanitary fittings, using an approved and recognised detergent a disinfectant in line with the manufacturer's instructions for dilution, aplication and contact time disposable mob heads to clean all hard surface floors, chairs, door handles and sandsanitary fittings, using an approved and recognise detergent a disposable mob heads to clean di	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: 6 0 years of age and over • have long-term medical conditions – i.e. heart disease, ligh blood pressure, diabetes or cancer • pregnant women Avoid creating splashes and spray when cleaning. Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of taste • Death All cleaning will be undertaken in line with DES and public health guidance. Use disposable cloths or paper roll and disposable mob heads to clean all hard surfac floors, chairs, door handles andsanitary fittings, using an approved and recognised detergent a disinfectant in line with the manufacturer's instructions for dilution, aplication and contact tim disinfectant in line with the manufacturer's instructions for dilution, aplication and contact tim disinfectant in line with the manufacturer's instructions for dilution, aplication and contact tim disinfectant in line with the manufacturer's instructions for dilution, aplication and contact tim disinfectant in line with the manufacturer's instructions for dilution, aplication and contact tim disinfectant in line with the manufacturer's instructions for dilution, aplication and contact tim disinfectant in line with the manufacturer's instructions for dilution, aplication and contact tim disinfectant in line with the manufacturer's instructions for dilution, aplication and contact tim disinfectant in line with the manufacturer's instructions for dilution, aplication and contact tim disinfectant in line with the manufacturer's instructions for dilution, aplication and contact tim disinfectant in line with the manufacturer's instructions for dilution, aplication and contact tim disinfectant in line with the manufacturer's instructions for dilution, aplication and contact tim disinfectant in line with th

Who may be affected?	Identified Risks		uspected/confirmed case of (continued)	Risk Rating with controls	Action implementation
		Co	ontrols		
Staff Pupils Visitors	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste •Death	water setting and dry items completed an unwell person can be washed laundry as this minimises the post of Clean and disinfect anything used in line with the cleaning guidance. Waste Management ✓ Waste should be put in a plastic row the plastic bag should then be plated individual's test results are known of All waste should be stored safely a waste in communal waste areas to has been stored for at least 72 how of the individual tests negative, the	ubbish bag and tied when full ced in a second bin bag and tied secure place and marked for storage until the n and kept away from children. You should not put until negative test results are known or the waste	Serious Requires monitoring	Board of Management Principal Cleaning staff
Risk Level Calculation (a) Severity of risk/in (b) Likelihood of even (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=m nt 1=rare, 2=unlikely, 3=lik	noderate, 4=major, 5=fatality xely, 4=very likely, 5=inevitable	Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review i		ontrol
Assessment Date:	August, 2020		Assessor's Name:		

Who may be affected?	Identified Risks	Travel to and from work	Risk Rating	Action implementation
arrected:	identified hisks	Controls	with controls	Action implementation
Staff	 they catch the coronavirus are: 60 years of age and over have long-term medical conditions – i.e. heart disease, 	Where a staff member exhibits any signs of Covid-19 or has been exposed to a confirmed case they should not travel to work. Wherever possible, staff shouldtravel to work alone using their own means of transport – staff should not share transport to or from work. If availing of public transport, sit down to minimise contact with frequently touched surfaces, handles, roofstraps, isolation bars, etc. Wear a face mask and carry hand santiser (at least 60% alcohol) and use it regularly throughout your journey.	Requires monitoring	All staff
Risk Level Calculation (a) Severity of risk/in (b) Likelihood of ever (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=m ent 1=rare, 2=unlikely, 3=lik	Risk Level Action 1-5 Trivial risk Acceptable 1-7 Medium risk Requires monitoring 1-1 Severe risk Requires immediate furth 1-25 Emergency risk Halt activity and review		ontrol
<u>Assessment Date</u> :	August, 2020	<u>Assessor's Name</u> :		

Who may be affected?	Identified Risks	Dropping off and picking up of pupils	Risk Rating	Action implementation
uncerea.	identified hisks	Controls	with controls	Action implementation
	most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above)	Arrangements for dropping off and picking up pupils from the school facility will be orga to maintain, as far as is reasonably practicable, a safe social distance between drivers/parents/guardians and all school staff. Where pupils travel by public transport the Board of Management will provide a design drop off/awaiting area (where possible) that supports social distancing measures. It expected that there will be pre-agreed staggered arrival times for school buses. Parents/guardians will be encouraged to wait in the car outside of the school Where SEN pupils are dropped off and picked up by a private bus/taxi, the accompanying should remain in the car/bus with the pupil. A designated staff member will come to car/bus to receive the pupil and will avoid or limit physical contact with the accompanyadult. Subject to available space there is no strict requirement for taxis/buses to arrive of a time provided that those accompanying the pupil remain in the taxi/bus and do not into with those accompanying other pupils. A similar process should be followed for pick up	Requires monitoring	Board of Management Principal Staff Bus and taxi drivers
Risk Level Calculation (a) Severity of risk/in (b) Likelihood of even (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=m nt 1=rare, 2=unlikely, 3=lik	Risk Level Action 1-5 Trivial risk Acceptable 1-7 Medium risk Requires monitoring 1-7 Severe risk Requires immediate 16-25 Emergency risk Halt activity and resemble	further action and c	ontrol
Assessment Date:	August, 2020	Assessor's Name:		

Who may be affected?	Identified Risks		to school	Risk Rating with controls	Action implementation
Staff Pupils Wider Community	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste	The Board of Management will ensure the spremises. Visits to the school will be severely restricted. Make a prior appointm. Remain at home if they. Follow the agreed Covid. Sanitise before entering. Attendance to be record. Wear PPE if instructed. Adhere to social distan.	nent before visiting the school have any Covid-19 symptoms d-19 protocols for the school g the premises ded on entry to building	Requires monitoring	Board of Management Principal
Risk Level Calculation (a) Severity of risk/i (b) Likelihood of evec (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=m ent 1=rare, 2=unlikely, 3=lik	noderate, 4=major, 5=fatality sely, 4=very likely, 5=inevitable	Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review i		ontrol
<u>Assessment Date</u> :	August, 2020		<u>Assessor's Name</u> :		

Who may be affected?	Identified Risks		ries and supplies to school	Risk Rating with controls	Action implementation
Staff Pupils Drivers Wider Community	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	 Ensure that all delivery transactions of the Agree and delivery protocol with supplies all deliveries to be planned with allocations. Arrangements to be made for paperless. System to be agreed with suppliers to Appropriate sanitising arrangements and appropriate sanitising arrangements. 	ated times for collections and deliveries solutions deliveries	Requires monitoring	Board of Management Principal Staff Delivery personnel
Risk Level Calculation (a) Severity of risk/in (b) Likelihood of even (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=m nt 1=rare, 2=unlikely, 3=lik	noderate, 4=major, 5=fatality sely, 4=very likely, 5=inevitable	Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review i		ntrol
<u>Assessment Date</u> :	August, 2020		Assessor's Name:		

Declaration of Sight

I have read and understand the contents of this document. Signed: Dated: Signed: ______ Dated: _____ Signed: _____ Dated_____ Signed: _____ Dated: _____ Signed: ______ Dated: _____ Signed: ______ Dated: _____ Signed: _____ Dated: _____ Signed: _____ Dated: _____ Signed: _____ Dated: ____ Signed: _____ Dated: ____ Signed: _____ Dated: _____ Signed: _____ Dated:_____ Signed:______ Dated:_____ Signed:______ Dated:_____ Signed:______ Dated:_____

Signed:	Dated	
Signed:	Dated:	
Signed:	Dated:	
Signed:	Dated	
Signed:	Dated:	

Signed:	Dated	
Signed:	Dated:	